

# SAFETY DATA SHEET

Revision Date 30-Jul-2019

Version 2

## **1. PRODUCT AND COMPANY IDENTIFICATION**

Product identifier	
Product Code	10967
Product Name	SCBA

Other means of identification

Recommended use of the chemical and restrictions on use Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For Seatex, LLC 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (713) 357-5300 <u>Emergency telephone number</u> 24 Hour Emergency Phone Number: 1-800-535-5053

## 2. HAZARDS IDENTIFICATION

## **Classification**

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

#### Label elements

**Emergency Overview** 

Danger		
Hazard statements Causes severe skin burns and eye damage		
Appearance Clear to Slightly Hazy	Physical state Liquid	Odor Bland

## **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

#### **Precautionary Statements - Storage**

Keep container tightly closed in a cool, dry and well-ventilated place away from strong acids and oxidizing agents. Keep out of reach of children.

**Precautionary Statements - Disposal** 

Dispose of contents/container to an approved waste disposal plant.

#### Hazards not otherwise classified (HNOC)

## Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium Metasilicate	6834-92-0	7-13	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES		
First aid measures		
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If irritation persists or burns occur, get medical attention.	
Eye contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.	
Inhalation	Not an expected route of exposure.	
Ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No Information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

## Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.	
Environmental precautions		
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Dike area of spills to prevent spreading. Dilute spilled material with dilute acetic acid (vinegar) to less than pH of 10. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.	

## 7. HANDLING AND STORAGE

Precautions for safe handling		
Advice on safe handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers. Keep out of the reach of children.	
Incompatible materials	Strong acids and oxidizing agents.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

## Control parameters

	Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational		
exposure limits established by the region specific regulatory bodies.			y bodies.	
	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
	Sodium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
	1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers, Eyewash stations & Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear chemical resistant gloves. Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene	When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear to Slightly Hazy
Odor	Bland
Odor threshold	No Information available

Property_	Values
pH	11.0 - 1
Specific Gravity	1.139
Viscosity	No Info
Melting point/freezing point	No Info
Boiling point / boiling range	No Info
Flash point	
Evaporation rate	No Info
Flammability (solid, gas)	No Info
Upper flammability limit:	No Info
Lower flammability limit:	No Info
Vapor pressure	No Info
Vapor density	No Info
Water solubility	No Info
Partition Coefficient	No Info
(n-octanol/water)	
Autoignition temperature	No Info
Decomposition temperature	No Info
-	

## **Other Information**

Density Lbs/Gal VOC Content (%) 11.0 - 12.0 1.139 No Information available No Information available No Information available

No Information available No Information available No Information available No Information available No Information available No Information available No Information available

No Information available No Information available

No Information available No Information available Remarks • Method 1% solution

Remarks

## **10. STABILITY AND REACTIVITY**

Reactivity No data available

<u>Chemical stability</u> Stable under recommended storage conditions.

**Possibility of Hazardous Reactions** 

None under normal processing.

#### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

## Incompatible materials

Strong acids and oxidizing agents.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	No data available
Inhalation	Causes burns.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
Skin Contact	The product causes burns of eyes, skin and mucous membranes.
Ingestion	Causes burns.

Chemical Name Oral LD50		Dermal LD50	Inhalation LC50	
Water 7732-18-5	> 90 mL/kg (Rat)	-	-	
Sodium Metasilicate 6834-92-0	= 1153 mg/kg (Rat)			
Sodium Polyacrylate 9003-04-7	> 40 g/kg (Rat)	-	-	
Sodium Hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-	
Alcohols, C6-10, ethoxylated propoxylated 68987-81-5	= 2745 mg/kg(Rat)	> 2000 mg/kg ( Rat )	> 50 mg/L(Rat)4 h	
Sodium Chloride 7647-14-5	= 3 g/kg (Rat)	> 10 g/kg (Rabbit)	> 42 g/m³(Rat)1 h	

#### Information on toxicological effects

Symptoms

No Information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity	Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.
Sensitization	No Information available.
Germ cell mutagenicity	No Information available.
Carcinogenicity	No Information available.
Reproductive toxicity	No Information available.
STOT - single exposure	No Information available.
STOT - repeated exposure	No Information available.
Chronic toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.
Aspiration hazard	No Information available.

#### Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity. The following values are calculated based on chapter 3.1 of the GHS document .

## **12. ECOLOGICAL INFORMATION**

## Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Metasilicate	-	210: 96 h Brachydanio rerio mg/L	216: 96 h Daphnia magna mg/L
6834-92-0		LC50 semi-static 210: 96 h	EC50
		Brachydanio rerio mg/L LC50	
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	
Sodium Chloride	-	5560 - 6080: 96 h Lepomis	340.7 - 469.2: 48 h Daphnia magna
7647-14-5		macrochirus mg/L LC50	mg/L EC50 Static 1000: 48 h
		flow-through 12946: 96 h Lepomis	Daphnia magna mg/L EC50
		macrochirus mg/L LC50 static 6020	
		- 7070: 96 h Pimephales promelas	
		mg/L LC50 static 7050: 96 h	
		Pimephales promelas mg/L LC50	
		semi-static 4747 - 7824: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 6420 - 6700: 96 h	
		Pimephales promelas mg/L LC50	
		static	

# Persistence and degradability

No Information available.

## **Bioaccumulation**

No Information available.

Other adverse effects	No Information available.		
13. DISPOSAL CONSIDERATIONS			
Waste treatment methods			
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated packaging	Do not reuse container.		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## **14. TRANSPORT INFORMATION**

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

DOT

## Not regulated

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Complies
KECL	Does not comply
PICCS	Does not comply
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## US State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Hydroxide	Х	X	Х
1310-73-2			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

## **16. OTHER INFORMATION**

HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection X
Legend N/A - Not Applicable N/E - Not Established N/D - Not Determined N/K - Not Known				

Revision Date30-Jul-2019Revision NoteNo Information availableDisclaimerNo

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.