

SAFETY DATA SHEET

Revision Date 08-Mar-2018

Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier	
Product Code	18138
Product Name	LT Detergent

Other means of identification

Recommended use of the chemical and restrictions on use Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For Seatex, LLC 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (713) 357-5300 <u>Emergency telephone number</u> 24 Hour Emergency Phone Number: 1-800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

Label elements

	Emergency Overview	
Danger	• /	
Hazard statements Causes severe skin burns and eye damage		
Appearance Red	Physical state Liquid	Odor None

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water. See a physician immediately.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed. Store in a cool, dry place away from strong acids. Keep locked up and out of the reach of children.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium Hydroxide	1310-73-2	10-30	*
Tetrasodium EDTA	64-02-8	1-5	*
Trisodium nitrilotriacetate	5064-31-3	.1-1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES				
First aid measures				
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is required.			
Eye contact	Immediate medical attention is required. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.			
Inhalation	If mists/vapors are formed or irritation occurs, leave area and do not return until mists/vapors have dissipated. If irritation persists, see a physician.			
Ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice.			
Self-protection of the first aider	of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.			
Most important symptoms and eff	ects, both acute and delayed			
Symptoms	Irritation or burning to mucous membranes. May cause irritation and/or burning to eyes and skin.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.			

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion productsContact with metals in presence of moisture will produce hydrogen gas, which can form explosive mixture in air.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.		
Environmental precautions			
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Preven product from entering drains.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Dilute spilled material with dilute acetic acid (vinegar) to less than pH of 10.		

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly
labeled containers. Keep out of the reach of children.

Incompatible materials

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Strong acids. Aluminum.

Control parameters

Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d (11th Cir., 1992).	
Appropriate engineering controls		
Engineering Controls	Showers, Eyewash stations & Ventilation systems.	
Individual protection measures, suc	h as personal protective equipment	
Eye/face protection	Tight sealing safety goggles. Face protection shield.	
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene	When using do not eat, drink or smoke. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Take off all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Liquid Red None No Information available	
Property	Values	Remarks • Method
Hq	12.0 - 13.0	1% solution
Specific Gravity	1.240	
Viscosity	No Information available	
Melting point/freezing point	No Information available	
Boiling point / boiling range	220 / °F	
Flash point	N/A	
Evaporation rate	< 1	(butyl acetate = 1)
Flammability (solid, gas)	No Information available	
Upper flammability limit:	N/A	
Lower flammability limit:	N/A	
Vapor pressure	N/A	
Vapor density	N/A	
Water solubility	N/A	
Partition Coefficient	No Information available	
(n-octanol/water)		
Autoignition temperature	No Information available	
Decomposition temperature	No Information available	
Other Information		
Density Lbs/Gal VOC Content (%)	No Information available No Information available	

10. STABILITY AND REACTIVITY

Reactivity No data available Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Contact with metals in presence of moisture will produce hydrogen gas, which can form explosive mixture in air.

Conditions to avoid

No special precautions beyond standard safe industrial practices.

Incompatible materials

Strong acids. Aluminum.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ρ	roduct Information	No data available
Inhalation		Causes burns.
Eye contact		Corrosive to the eyes and may cause severe damage including blindness.
	Skin Contact	The product causes burns of eyes, skin and mucous membranes.
	Ingestion	Causes burns.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Trisodium nitrilotriacetate 5064-31-3	= 1100 mg/kg (Rat)	-	> 5 mg/L (Rat)4 h

Information on toxicological effects

Symptoms

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity	Causes burn: eyes.	Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to		
Sensitization	No Informatio	n available		
Germ cell mutagenicity		No Information available.		
Carcinogenicity			h agency has listed any ir	ngredient as a carcinogen.
Chemical Name	ACGIH	IARC	NTP	OSHA
Trisodium nitrilotriacetate 5064-31-3	-	Group 2B	-	Х
IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present				
Reproductive toxicity				
STOT - single exposure	No Information	n available.		
STOT - repeated exposu	STOT - repeated exposure No Information available.			
Chronic toxicityChronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.				
Target organ effects		ratory system, Skin.		
Aspiration hazard	No Informatio	on available.		

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity. **The following values are calculated based on chapter 3.1 of the GHS document** .

12. ECOLOGICAL INFORMATION

Ecotoxicity

2.87% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	
Tetrasodium EDTA	1.01: 72 h Desmodesmus	59.8: 96 h Pimephales promelas	610: 24 h Daphnia magna mg/L
64-02-8	subspicatus mg/L EC50	mg/L LC50 static 41: 96 h Lepomis	EC50
		macrochirus mg/L LC50 static	
Sodium Chloride	-	5560 - 6080: 96 h Lepomis	340.7 - 469.2: 48 h Daphnia magna
7647-14-5		macrochirus mg/L LC50	mg/L EC50 Static 1000: 48 h
		flow-through 12946: 96 h Lepomis	Daphnia magna mg/L EC50
		macrochirus mg/L LC50 static 6020	
		- 7070: 96 h Pimephales promelas	
		mg/L LC50 static 7050: 96 h	
		Pimephales promelas mg/L LC50	
		semi-static 4747 - 7824: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 6420 - 6700: 96 h	
		Pimephales promelas mg/L LC50	
		static	
Trisodium nitrilotriacetate	560 - 1000: 96 h Chlorella vulgaris	93 - 170: 96 h Pimephales promelas	
5064-31-3	mg/L EC50	mg/L LC50 flow-through 252: 96 h	mg/L LC50
		Lepomis macrochirus mg/L LC50	
		560 - 1000: 96 h Oryzias latipes	
		mg/L LC50 semi-static 72 - 133: 96	
		h Oncorhynchus mykiss mg/L LC50 static 560 - 1000: 96 h Poecilia	
		reticulata mg/L LC50 560 - 1000: 96	
		h Poecilia reticulata mg/L LC50 500 - 1000. 90	
		semi-static 470: 96 h Pimephales	
		promelas mg/L LC50 static 175 -	
		225: 96 h Lepomis macrochirus	
		mg/L LC50 static 560 - 1000: 96 h	
		Oryzias latipes mg/L LC50 114: 96	
		h Pimephales promelas mg/L LC50	

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Other adverse effects

No Information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
Sodium Hydroxide	Toxic	
1310-73-2	Corrosive	

14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

DOT

DOT Proper Shipping name

UN1760, Corrosive Liquid, n.o.s. (contains Sodium Hydroxide), 8, PG II

15. REGULATORY INFORMATION

Complies
Complies
Does not comply
Does not comply
Complies
Does not comply
Complies
Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide 1310-73-2	1000 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

• •••••••	N.				
Chemical Name		w Jersey	Massachusetts	Pennsylvania	
Sodium Hydroxide		Х	X	X	
1310-73-2					
Trisodium nitrilotriacet	ate	-	Х	-	
5064-31-3					
U.S. EPA Label Informa	ation				
EPA Pesticide Registra	tion Number Not Ap	plicable			
		F			
			NFORMATION		
		IO. UTHER I			
HMIS	Health hazards 3	Flammabili	ty 0 Physical hazards	0 Personal protection X	
Legend N/A - Not Applicable N/E - Not Established N/D - Not Determined N/K - Not Known					
Issue Date	10-Apr	-2014			
Revision Date	08-Mar				
Revision Note	New format				
Disclaimer		innat			
The information provid date of its publication. transportation, disposa	The information give al and release and is fic material designation	en is designed or not to be consid ited and may not	t to the best of our knowledge, nly as a guidance for safe handl ered a warranty or quality spec be valid for such material usec	ling, use, processing, storage, ification. The information	

End of Safety Data Sheet