

# SAFETY DATA SHEET

Issue Date 16-Jan-2014 Revision Date 18-Oct-2018 Version 7

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Code RD102 Product Name Citra Sol

Other means of identification

Recommended use of the chemical and restrictions on use

Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For

Seatex, LLC 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (713) 357-5300

Emergency telephone number

24 Hour Emergency Phone Number: 1-800-535-5053

# 2. HAZARDS IDENTIFICATION

#### Classification

Skin corrosion/irritation Category 3

#### Label elements

## **Emergency Overview**

Warning

Hazard statements

Causes mild skin irritation

Appearance Clear, Orange Physical state Liquid Odor Orange

#### **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair). Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation persists, see a physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed. Store in a cool, dry place away from strong oxidizing agents. Keep away from heat, sparks and open flame. Keep out of reach of children.

#### **Precautionary Statements - Disposal**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0.51% of the mixture consists of ingredient(s) of unknown toxicity.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
2-butoxyethanol	111-76-2	1-5	*
Nonylphenol Polyethylene Glycol Ether	127087-87-0	1-5	*
Cocamide DEA	68603-42-9	.1-1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First aid measures

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, see

a physician.

**Eye contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub

affected area. If irritation persists, call a physician.

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth

to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

**Symptoms** Ingestion symptoms may include headache, nausea, stomach cramps and diarrhea. May

cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. May cause respiratory irritation. May cause redness and tearing of the eye. Defatting of skin. Prolonged or repeated contact may cause skin irritation or dermatitis.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Stop leak if safe to do so. Dike area of spills to prevent spreading. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks and open flame. Keep out of the reach of children.

Incompatible materials Strong oxidizing agents.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	
		(vacated) S*	
		S*	
Sodium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Diethanolamine	TWA: 1 mg/m³ inhalable fraction	(vacated) TWA: 3 ppm	TWA: 3 ppm
111-42-2	and vapor	(vacated) TWA: 15 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>
	S*		-

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear chemical resistant gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Wear suitable gloves and eye/face protection. Handle in accordance with good industrial

hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Tag Closed Cup

(butyl acetate = 1)

#### Information on basic physical and chemical properties

Physical stateLiquidAppearanceClear, OrangeOdorOrange

Odor threshold No Information available

Property Values Remarks • Method

pH 10.0 - 11.0 Specific Gravity 1.018

Viscosity No Information available Remarks

Melting point/freezing point

No Information available

> 100 / ° F Degrees

Flash point > 202 ° F Degrees
Evaporation rate < 1

Flammability (solid, gas) No Information available

Upper flammability limit: N/A
Lower flammability limit: N/A
Vapor pressure N/E
Vapor density >1

Water solubility completely soluble
Partition Coefficient No Information available

(n-octanol/water)

Autoignition temperature N/E

**Decomposition temperature** No Information available

**Other Information** 

Density Lbs/Gal No Information available

VOC Content (%) 4.47

#### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

Heat, flames and sparks.

#### **Incompatible materials**

Strong oxidizing agents.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

#### 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Product Information No data available

**Inhalation** No data available.

**Eye contact** No data available.

**Skin Contact** May cause irritation.

**Ingestion** No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 486 ppm (Rat) 4 h = 450 ppm ( Rat) 4 h
Cocamide DEA 68603-42-9	> 5000 mg/kg(Rat)= 12400 μL/kg (Rat)	> 2 g/kg (Rabbit)	-

#### Information on toxicological effects

**Symptoms** No Information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation MAY CAUSE SKIN IRRITATION.

**Sensitization Germ cell mutagenicity**No Information available.
No Information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-butoxyethanol	A3	Group 3	-	-
111-76-2				
Cocamide DEA	-	Group 2B	-	X
68603-42-9		•		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans Group 3 -Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity May cause adverse effects on the bone marrow and blood-forming system. May cause

adverse liver effects.

Target organ effects Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory

system, Skin.

**Aspiration hazard** No Information available.

# Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 0.51% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

2.31% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-butoxyethanol	-	1490: 96 h Lepomis macrochirus	1698 - 1940: 24 h Daphnia magna
111-76-2		mg/L LC50 static 2950: 96 h	mg/L EC50 1000: 48 h Daphnia
		Lepomis macrochirus mg/L LC50	magna mg/L EC50
Linear Dodecyl Benzene Sulphonic	29: 96 h Pseudokirchneriella	10.8: 96 h Oncorhynchus mykiss	2.9: 48 h Daphnia magna mg/L
Acid	subcapitata mg/L EC50	mg/L LC50 static 3.5 - 10: 96 h	EC50 5.88: 48 h Daphnia magna
27176-87-0		Brachydanio rerio mg/L LC50 static	mg/L EC50
		3: 96 h Oncorhynchus mykiss mg/L	
		LC50 static	
Cocamide DEA	-	3.6: 96 h Brachydanio rerio mg/L	4.2: 24 h Daphnia magna mg/L
68603-42-9		LC50 semi-static	EC50
Tetrasodium EDTA	1.01: 72 h Desmodesmus	59.8: 96 h Pimephales promelas	610: 24 h Daphnia magna mg/L
64-02-8	subspicatus mg/L EC50	mg/L LC50 static 41: 96 h Lepomis	EC50

		macrochirus mg/L LC50 static	
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	
Diethanolamine	7.8: 72 h Desmodesmus	4460 - 4980: 96 h Pimephales	55: 48 h Daphnia magna mg/L
111-42-2	subspicatus mg/L EC50 2.1 - 2.3:	promelas mg/L LC50 flow-through	EC50
	96 h Pseudokirchneriella	1200 - 1580: 96 h Pimephales	
	subcapitata mg/L EC50	promelas mg/L LC50 static 600 -	
		1000: 96 h Lepomis macrochirus	
		mg/L LC50 static	
Sodium Chloride	-	5560 - 6080: 96 h Lepomis	340.7 - 469.2: 48 h Daphnia magna
7647-14-5		macrochirus mg/L LC50	mg/L EC50 Static 1000: 48 h
		flow-through 12946: 96 h Lepomis	Daphnia magna mg/L EC50
		macrochirus mg/L LC50 static 6020 - 7070: 96 h Pimephales promelas	
		mg/L LC50 static 7050: 96 h	
		Pimephales promelas mg/L LC50	
		semi-static 4747 - 7824: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 6420 - 6700: 96 h	
		Pimephales promelas mg/L LC50	
		static	
Sodium Sulfate	-	3040 - 4380: 96 h Lepomis	2564: 48 h Daphnia magna mg/L
7757-82-6		macrochirus mg/L LC50 static	EC50 630: 96 h Daphnia magna
		13500: 96 h Lepomis macrochirus	mg/L EC50
		mg/L LC50 13500 - 14500: 96 h	
		Pimephales promelas mg/L LC50	
		6800: 96 h Pimephales promelas	
Trisodium nitrilotriacetate	500 4000: 00 h Ohlaralla unimaria	mg/L LC50 static	500 4000 40 h Danhais mana
5064-31-3	560 - 1000: 96 h Chlorella vulgaris mg/L EC50	93 - 170: 96 h Pimephales promelas mg/L LC50 flow-through 252: 96 h	560 - 1000: 48 h Daphnia magna mg/L LC50
3004-31-3	Ilig/L LC30	Lepomis macrochirus mg/L LC50	IIIg/L LC30
		560 - 1000: 96 h Oryzias latipes	
		mg/L LC50 semi-static 72 - 133: 96	
		h Oncorhynchus mykiss mg/L LC50	
		static 560 - 1000: 96 h Poecilia	
		reticulata mg/L LC50 560 - 1000: 96	
		h Poecilia reticulata mg/L LC50	
		semi-static 470: 96 h Pimephales	
		promelas mg/L LC50 static 175 -	
		225: 96 h Lepomis macrochirus	
		mg/L LC50 static 560 - 1000: 96 h	
		Oryzias latipes mg/L LC50 114: 96	
	l	h Pimephales promelas mg/L LC50	

# Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

Chemical Name	Partition coefficient
2-butoxyethanol	0.81
111-76-2	

Other adverse effects No Information available.

# 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

**Disposal of wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

#### 14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

**DOT** Not regulated

#### 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies **DSL/NDSL** Complies Does not comply **EINECS/ELINCS** Does not comply **ENCS IECSC** Complies **KECL** Does not comply **PICCS** Complies **AICS** Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	SARA 313 - Threshold Values %
2-butoxyethanol - 111-76-2	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# US State Regulations

#### **California Proposition 65**

WARNING: This product can expose you to chemicals including Cocamide DEA and Diethanolamine which is known to the state of California to cause birth defects or other reproductive harm. For More Information go to www.P65Warnings.ca.gov.

Chemical Name	California Proposition 65	
Cocamide DEA - 68603-42-9	Carcinogen	
Diethanolamine - 111-42-2	Carcinogen	

#### U.S. State Right-to-Know Regulations

\_\_\_\_\_

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-butoxyethanol 111-76-2	X	X	Х
Trisodium Phosphate Anhydrous 7601-54-9	X	Х	Х
Linear Dodecyl Benzene Sulphonic Acid 27176-87-0	Х	X	X
Diethanolamine 111-42-2	Х	Х	Х
Sodium Sulfate 7757-82-6	-	Х	Х
Trisodium nitrilotriacetate 5064-31-3	-	Х	-

U.S. EPA Label Information

**EPA Pesticide Registration Number** Not Applicable

#### **16. OTHER INFORMATION**

Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

# Legend

N/A - Not Applicable
N/E - Not Established
N/D - Not Determined
N/K - Not Known

**Issue Date** 16-Jan-2014 **Revision Date** 18-Oct-2018

**Revision Note** SDS sections updated 2 4 6 11

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**